Sheet 1 of 13 of List of References for Application No. 10/809,766

1617

ATTY DOCKET NO. 305158-999274	APPLICATION NO.	
(6750-276-999)	10/809,766	
APPLICANT		
Oshlack et al.		
FILING DATE	GROUP	

March 24, 2004

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)

U.S. PATENT DOCUMENTS

*EXAMINER		DOCUMENT NUMBER	DATE	NAME	CLAS	SS	SUBCL	ASS	FILING DATE IF APPROPRIATE
31	A01	2,738,303	03/13/1956	Blythe		_			
1	A02	2,921,883	01/19/1960	Reese et al.					
0	A03	3,082,154	03/19/1963	Allan			•		
	A04	3,458,622	07/29/1969	Hill					
	A05	3,492,397	01/27/1970	Peters et al.					
	A06	3,634,584	01/11/1972	Poole	·				
	A07	3,773,920	11/20/1973	Nakamoto et al.					
	A08	3,845,770	11/05/1974	Theeuwes et al.					
	A09	3,870,790	03/11/1975	Lowey et al.					
	A10	3,916,899	11/04/1975	Theeuwes et al.					
	A11	3,965,256	06/22/1976	Leslie					
	A12	3,922,339	11/25/1975	Shear					
	A13	4,063,064	12/13/1977	Saunders et al.					
	A14	4,088,864	05/09/1978	Theeuwes et al.	3				
	A15	4,132,753	01/02/1979	Blichare al.					
	A16	4,235,870	11/15/1980	Leslie					
	A17	4,259,314	03/31/1981	Lowey					
	A18	4,351,825	09/28/1982	Sothmann et al.					
	A19	4,369,172	01/18/1983	Schor et al.					
1	A20	4,377,568	03/22/1983	Chopra					-
	A21	4,385,078	05/24/1983	Onda et al.					
·	A22	4,389,393	06/21/1983	Schor et al.					
	A23	4,421,736	12/20/1983	Walters					
•	A24	4,438,091	03/24/1984	Gruber et al.					
	A25	4,443,428	04/17/1984	Oshlack et al.					
	A26	4,464,378	08/07/1984	Hussain					
	A27	4,483,847	11/20/1984	Augart					
	A28	4,520,172	05/28/1985	Lehmann et al.					
	A29	4,547,359	10/15/1985	Zierenberg et al.					
	A30	4,548,990	10/22/1985	Mueller et al.					
	A31	4,557,925	12/10/1985	Lindahl et al.					
	A32	4,600,645	07/15/1986	Ghebre-Sellassie et al.					
	A33	4,609,542	09/02/1986	Pano et al.		,			
	A34	4,708,874	11/24/1987	De Haan et al.		V		Ţ,	
-	A35	4,722,815	02/02/1988	Shibanai		_		- -	

Sheet 2 of 13 of List of References of Application No. 10/809,766

1	1.00	4,728,513	03/01/1988	Ventouras	T I	55.1	T	<u> 170.</u>	10/809,76
	A36		01/10/1989	El-Fakahany		+	+ -		<u> </u>
4	A37	4,797,410	<u> </u>			+	-		<u> </u>
	A38	4,806,337	02/21/1989	Snipes et al.			 		
	A39	4,828,836	05/09/1989	Elger et al.			<i>.</i> .		
	A40	4,834,984	05/30/1989	Goldie et al.			1		
	A41	4,834,985	05/30/1989	Elger et al.					
	A42	4,844,907	07/04/1989	Elger et al.					
	A43	4,844,909	07/04/1989	Goldie et al.					
1	A44	4,861,598	08/29/1989	Oshlack					
	A45	4,894,234	01/16/1990	Sharma et al.					
	A46	4,935,246	06/19/1990	Ahrens		1			
	A47	4,970,075	11/13/1990	Oshlack		7			
1	A48	4,983,730	01/08/1991	Domeshek et al.					
+	A49	4,990,341	02/05/1991	Goldie et al.		1			
	A50	5,007,790	04/16/1991	Shell		十	1	1	
+-	A51	5,019,397	05/28/1991	Wong et al.		+	+	1	<u> </u>
	A52	5,023,089	06/11/1991	Sakamoto et al.		丁	1	 	
+-	A53	5,024,842	06/18/1991	Edgren et al.			1	+	-
+	A54	5,026,560	06/25/1991	Makino et al.		1	+	† .	
+-	A55	5,030,400	07/09/1991	Danielsen et al.		+	1-	+	
	A56	5,068,110	11/26/1991	Fawzi et al.		+	╁	-	
	A57	5,071,646	12/10/1991	Malkowska et al.		+	+	+	
	A58	5,098,718	03/24/1992	Ardaillon et al.		+	+	+	
+		5,122,384	06/16/1992	Paradissis et al.			+	+	
	A59	5,126,145	06/30/1992	Evanstad et al.		+	+	 	
<u> </u>	A60	5,132,142	07/21/1992	Jones et al.		+	-	+	
	A61	5,133,974	07/28/1992	Paradissis et al.		+	+	 	-
_	A62	5,167,964	12/01/1992	Muhammed et al.		_		+	ļ
	A63		12/08/1992	Shukla et al.		-		+-	
	A64	5,169,645	01/12/1993	Malmqvist et al.			+	-	
	A65	5,178,868		Boehm			 	+-	· · · · · ·
	A66	5,196,203	03/23/1993	Morella et al.		-	-	-	
	A67	5,202,128	04/13/1993						
	A68	5,206,030	04/27/1993	Wheatley et al.		_	+-		
	A69	5,215,758	06/01/1993	Krishnamurthy		+	 	+	ļ
	A70	5,219,575	06/15/1993	Von Bommel et al.			┼—	+	
	A71	5,248,516	09/28/1993	Wheatley et al.		1_			
	A72	5,258,436	11/02/1993	Wheatley et al.		1.	—	1	
	A73	5,266,311	11/30/1993	Cerretti et al.		_	 		
	A74	5,266,331	11/30/1993	Oshlack et al.		1			
	A75	5,273,760	12/28/1993	Oshlack et al.		\perp	1_	1	<u> </u>
	A76	5,283,065	02/01/1994	Doyon et al.					
	A77	5,286,493	02/15/1994	Oshlack et al.			1_	\perp	
	A78	5,292,461	03/08/1994	Juch et al.					,
1	A79	5,321,012	06/14/1994	Mayer et al.					
V	A80	5,330,766	07/19/1994	Morella et al.	-] -		†

Sheet 3 of 13 of List of References of Application No. 10/809,766

A		5,356,467	10/18/1994	Oshlack et al.	\top	~			0,000,1	
/		5,378,474	01/03/1995	Morella et al.	_		+	$\overline{1}$		
-	1112	5,384,130	01/04/1995	Kamada		1	+-			
	1.105	5,411,745	05/02/1995	Oshlack et al.		†	+-	+ - +		
	1.04		10/10/1995	Nakamichi et al.	+	┼-	+-	+-+		
	1.05	5,456,923	10/24/1995	Merrill et al.	-+	╁	+-	+		
	1	5,460,826		Oshlack et al.			╫	+-+		
	1	5,472,712	12/05/1995				┼	+		
	1	5,478,577	12/26/1995	Sackler et al.	_	+-	+-	+-+		
	1	5,500,227	03/19/1996	Oshlack et al.	-	-		1		
	1,1,7	5,502,058	03/26/1996	Mayer et al.	_ _	—		+		
	1,00	5,508,042	04/16/1996	Oshlack et al.	-	↓	_	-		
	A92	5,508,403	04/16/1996	Akiyama et al.					<u> </u>	
	A93	5,520,931	05/28/1996	Persson et al.						
	A94	5,549,912	08/27/1996	Oshlack et al.					. <u> </u>	
	A95	5,580,578	12/03/1996	Oshlack et al.	\perp		<u> </u>	\bot		
	A96	5,593,695	01/14/1997	Merril et al.						
	I	5,601,842	02/11/1997	Bartholomaeus						
	A98	5,614,218	03/25/1997	Olsson	•					
-		5,629,011	05/13/1997	Illum						
	1 1	5,637,320	06/10/1997	Bourke et al.						
	1	5,656,295	08/12/1997	Oshlack et al.						
		5,667,805	09/16/1997	Merrill et al.		·				
-	, ,	5,670,172	09/23/1997	Buxton et al.						
		5,672,360	09/30/1997	Sackler et al.						
 		5,681,585	10/28/1997	Oshlack et al.					-	
		5,811,126	09/22/1998	Krishnamurthy						
-		5,843,480	12/01/1998	Miller et al.						
 - - - - - - - - - 		5,849,240	12/15/1998	Miller et al.			1.			
		5,879,705	03/09/1999	Heafield et al.		T				
	A110	5,891,471	04/06/1999	Miller et al.						
		5,958,452	09/28/1999	Oshlack et al.					-	
		5,958,459	09/28/1999	Chasin et al.						
		5,965,163	10/12/1999	Miller et al.						-
		5,968,551	10/19/1999	Oshlack et al.	_	1				
		6,103,261	08/15/2000	Chasin et al.		1	T^-			
 		6,143,322	11/07/2000	Sackler et al.		1	1			
	A117	4 5 6 1 500 D.1	07/17/2001	Oshlack et al.			T-			
		6,294,195 B1	09/25/2001	Oshlack et al.	_	+	十	→		
 	A118	4 440 040 D1	07/16/2002	Krishnamurthy et al.	_		- -			
	AII9	-,,	1							
1 //			FOREIGN	N PATENT DOCUMENTS						
- 		DOCUMENT NUMBER	DATE	COUNTRY		CLAS	S	UBCLASS	TRANSI	ATION
	<u> </u>								YES	NO
To	B01	CA 635,283	06/23/82	Canada	$-\!\!\downarrow$		- -		 	—
		CA 1,296,633	03/03/92	Canada	- 1		1		1	1

Sheet 4 of 13 of List of References of Application No. 10/809,766

			100410400		- 10	با	piice	I	110.	10/609,	100
1	B03	CA 1,297,025	03/10/92	Canada		-			<u> </u>		
	B04	CA 2082573	11/10/92	Canada					<u> </u>	<u> </u>	┼
	B05	CA 2131350 (A1)	01/94	Canada							<u> </u>
	B06	9047732	07/12/90	Australia					<u> </u>		
	B07	9341654	02/16/95	Australia							
	B08	0097523 (A2)	06/21/83	EPO							
- 	B09	0097523 (A3)	06/21/83	EPO							
	B10	0097523 (B1)	06/21/83	EPO							
	BII	0108218 (A2)	05/16/84	EPO							
	B12	0147780 (A2)	07/10/85	EPO							
	B13	0235986 (A1)	09/09/87	EPO					1		
	B14	0235986 (B1)	02/12/87	EPO			t				
	B15	0235986 (B2)	02/12/87	EPO					1		
	B16	0249347	12/16/1987	EPO				 	1	-	
_ _	B10	0253104 (A1)	01/20/88	EPO					1		\top
	B17	0253104 (B1)	05/22/87	EPO			1		+		+-
		0267702 (A3)	05/18/88	EPO			 -				+-
	B19	0271193 (A2)	10/22/87	EPO			+-	<u> </u>	+	<u> </u>	+
	B20	0271193 (A3)	10/22/87	EPO			+		+	 	+
	B21	0271193 (B1)	06/88	EPO			-	 		-	\vdash
	B22	0271193 (B1) 0327295 (A2)	08/09/89	EPO			-	+-			+
	B23	0361680 (B1)	07/13/94	EPO			+-	1		+	+
	B24	0361910 (A1)	04/04/90	EPO			┼-	 	+	 	+
	B25	0301910 (A1)	07/11/90	EPO			+	 			+
	B26		01/05/90	EPO			┼	-	+-	-	+-
	B27	0377518 (A2)	01/05/90	EPO			┼				+
	B28	0377518 (A3)	07/11/90	EPO			+-	 	+		+
	B29	0377518 (B1)	03/22/90	EPO			┼	}		-	
	B30	0388954 (A2)		EPO			-		-		
	B31	0388954 (A3)	03/22/90	EPO			╁				- -
	B32	0388954 (B1)	03/22/90				-		+	<u> </u>	
	B33	0415693 (A1)	03/06/91	EPO			 	<u> </u>	-		
•	B34	0430287 (B1)	10/12/94	EPO		_	-	 			
	B35	0452145 (A2)	10/16/91	EPO			-	<u> </u>	-		
	B36	0532348 (A2)	03/17/93	EPO			┼	 	- -	-	+
	B37	0532348 (A3)	09/11/92	EPO			—	 			
	B38	0532348 (B1)	09/11/92	EPO		_	↓	<u> </u>	—		+
	B39	0533297 (A1)	03/24/93	EPO		L	_	 		 	-
	B40	0534628 (A1)	03/21/93	EPO			1_		4_	<u> </u>	
	B41	0534628 (B1)	04/09/92	EPO		<u> </u>	_	 	4	<u> </u>	_
	B42	0535841 (Al)	04/07/93	EPO		_	_		4_		
	B43	0546676 (A1)	06/16/93	EPO		L					
	B44	0548448 (A1)	06/30/93	EPO							
	B45	0553392 (A1)	08/04/93	EPO							
	B46	0576643	11/25/92	EPO							
	B47	0580860 (AI)	02/02/94	EPO							
	B48	0609961 (A1)	08/10/94	EPO		-		1			

Sheet 5 of 13 of List of References of Application No. 10/809,766

A					- 01	App	nica	tion	140. 1	0/809,	700
$-\mathcal{L}$	B49	0636370 (A1)	02/01/95	EPO			\exists				
7	B50	0636370 (B1)	06/09/94	EPO							
	B51	0665010 (A1)	08/02/95	EPO							
	B52	1258246 (A2)	11/20/02	EPO							
	B53	DE 32 46 492	06/30/1983	Germany						Х	
	B54	2053681 (B)	04/04/84	Great Britain							
	B55	2178313 (A)	02/11/87	Great Britain							
	B56	2196848	05/11/88	Great Britain							
	B57	04081086	04/02/92	Japan							
	B58	80/00659	09/26/79	PCT							
	B59	92/01446	02/06/92	PCT							
	B60	92/02209 (A1)	02/20/92	PCT						_	
	B61	92/06679	04/30/92	PCT							
	B62	92/08459	05/29/92	PCT							<u> </u>
	B63	93/04675	03/18/93	PCT							
	B64	93/07859 (A1)	04/29/93	PCT							ļ
	B65	93/07861	04/29/93	PCT							ļ
	B66	93/10765	06/93	PCT							
	B67	93/18753	09/30/93	PCT							<u> </u>
	B68	94/03160	02/17/94	PCT							
	B69	94/03161	02/94	PCT						<u> </u>	
	B70	94/05262	03/17/94	PCT						<u> </u>	
	B71	94/22431	10/13/94	PCT							<u> </u>
	B72	96/00066	01/04/96	PCT							
	B73	96/01629	01/25/96	PCT							
	B74	96/14058	05/27/96	PCT							ļ
	B75	01/08661 (A2)	07/27/00	PCT	-						
	B76	02/100382 A2	12/19/02	PCT							<u> </u>
 	B77	03/004030 A1	01/16/03	PCT				<u> </u>	1		_
8	B78	2170104	07/30/86	United Kingdom		_				1	

!		OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
1	C01	Abstract of Japan, XP-002241447, May 12, 1988.
-//	C02	Abstracts from the Twelfth Annual Congress of the Oncology Nursing Society, May 1987.
- V- -	C03	Advertisement: MS Contin 1986, 1987 The Purdue Frederick Company.
	C04	Advertisement: Roxanol SR., 1985 Roxane Labs, Inc.
	C05	Agabeyoglu et al. Studies on Sustained Release II: In Vivo Performance of the Inert Matrix Sulfamethiozole Tablet, Employing Polymethylmethacrylate. 1986;12(3) DRUG DEVELOPMENT & INDUSTRIAL PHARMACY 423-430.
	C06	Approved drug products with therapeutic equivalence evaluations. U.S. Dept. of Health and Human Services. 1987;
	C07	Approved drug products with therapeutic equivalence evaluations. U.S. Dept. of Health and Human Services. 1988;
	C08	Approved drug products with therapeutic equivalence evaluations. U.S. Dept. of Health and Human Services. 1989;
	C09	Approved drug products with therapeutic equivalence evaluations. U.S. Dept. of Health and Human Services. 1990;
1	. C10	Approved drug products with therapeutic equivalence evaluations. U.S. Dept. of Health and Human Services. 1991; (11 th ed.):3-200.

sheet 6 of 13 of List of References of Application No. 10/809,766

		of Application No. 10/809,766
1	CII	Approved drug products with therapeutic equivalence evaluations. U.S. Dept. of Health and Human Services. 1992; (12 th ed.):3-197.
	C12	Approved drug products with therapeutic equivalence evaluations. U.S. Dept. of Health and Human Services. 1993; (13 th ed.):3-198.
V	C13	April 11, 2004 Amicus Curae Brief of Guilford Pharmaceuticals in Support of Purdue Pharma, L.P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue Pharma Company and EuroCeltique S.A. in Purdue Pharma, L.P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue Pharma Company (Plaintiffs/ Counterclaim Defendants-Appellants) and EuroCeltique S.A. (Counterclaim Defendant) v. Endo Pharmaceuticals Inc. (Defendant and Counterclaimant-Appellee), Endo Pharmaceuticals Holdings Inc. (Defendant-Appellee), United States Court of Appeals for the Federal Circuit, Appeals Nos. 04-1189, -1226.
		April 2, 2004 Corrected Brief of Plaintiffs-Appellants in Purdue Pharma, L.P., The Purdue Frederick Company, The
	C14	P.F. Laboratories, Inc., The Purdue Pharma Company (Plaintiffs/Counterclaim Defendants-Appellants) and EuroCeltique S.A. (Counterclaim Defendant) v. Endo Pharmaceuticals Inc. (Defendant and Counterclaimant-Cross Appellant), Endo Pharmaceuticals Holdings Inc. (Defendant-Cross Appellant), United States Court of Appeals for the Federal Circuit. Appeals Nos. 04-1189, -1226.
	C15	Arkinstall et al. Efficacy of controlled-release codeine in chronic non-malignant pain: a randomized, placebo-controlled clinical trial. Pain. 1995 Aug;62(2):169-78.
	C16	August 3, 2001 Paragraph 1V Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 80 mg, from Teya Pharmaceuticals USA to Euro-Celtique S.A.
	C17	Balant et al. CONTROLLED RELEASE PRODUCTS: THERAPEUTIC AND BIOPHARMACEUTIC ASSESSMENT, Ch. II Controlled Release Products – Pharmacokinetic Aspects, Gundert-Remy, U. and Möller, H., eds., Wissenschaftliche Verlagsgesellschaft mBH, Stuttgart. 1990;21-37.
	C18	Bannerjee et al. Novel drug delivery systems. An overview of their impact on clinical pharmacokinetic studies. Clin Pharmacokinet. 1991 Jan;20(1):1-14.
	C19	Beaver et al. Analgesic Studies of Codeine and Oxycodone in Patients with Cancer. I. Comparisons of Oral with Intramuscular Codeine and of Oral with Intramuscular Oxycodone, 207 J. PHARMACOLOGY & EXPERIMENTAL THER APEUTICS 92-100 (1978).
	C20	Beaver et al. Analgesic Studies of Codeine and Oxycodone in Patients with Cancer. II. Comparisons of Intramuscular Oxycodone with Intramuscular Morphine and Codeine, 207 J. PHARMACOLOGY & EXPERIMENTAL THERAPEUTICS, 1978;101-108.
	C21	Beckett. Rate Control in Drug Therapy, Ch. 17: Once daily rate-controlled drug therapy, Prescott, L.F. and Nimmo, W.S. eds., Churchill Livingstone, Edinburgh. 1985;166-179.
	C22	Benziger et al. A pharmacokinetic/pharmacodynamic study of controlled-release oxycodone. J Pain Symptom Manage. 1997 Feb;13(2):75-82.
	C23	Beubler. Medikamentose Schmerztherapie: Kriterien, Moglichkeiten, Risken. Therapiewoche Osterreich. 1992;7(2):1-15. English translation.
	C24	Black. A rational approach to cancer pain management. J. of Family Practice. 1989;28(3):267-8.
	C25	Bloomfield et al. Analgesic efficacy and potency of two oral controlled-release morphine preparations. Clin Pharmacol Ther. 1993 Apr;53(4):469-78.
	C26	Bobs et al. Steady-State Pharmacokinetics of Sustained Release Morphine Tablets (MS Contin) and Morphine Sulfate Solution (MSS). 6 Proceedings of ASCO. 1987;44(Abstract #171).
	C27	Bourget et al. Study of the bioequivalence of two controlled-release formulations of morphine. Int J Clin Pharmacol Ther. 1995 Nov;33(11):588-94.
	C28	Brooks et al. Principles of Cancer Pain Management: Use of Long-acting Oral Morphine, 28(3) J. FAMILY PRACTICE. 1989;275-280.
	C29	Brooks et al. Use of Continuous Release Morphine Sulfate (CRMS) in Cancer Patients (pts) with Chronic Pain. 5 Proceedings of ASCO. 1986;251(Abstract #980).
	C30	Brooks et al. Use of Continuous Release Morphine Sulfate (CRMS) in Cancer Patients with Chronic Pain. 6 Proceedings of ASCO. 1987;264(Abstract #1037).
	C31	Bruera et al. A randomized, double-blind, double-dummy, crossover trial comparing the safety and efficacy of oral sustained-release hydromorphone with immediate-release hydromorphone in patients with cancer pain. Canadian
	C32	Palliative Care Clinical Trials Group. J Clin Oncol. 1996 May;14(5):1713-7. Bruera et al. Randomized, double-blind, cross-over trial comparing safety and efficacy of oral controlled-release
 		oxycodone with controlled-release morphine in patients with cancer pain. J Clin Oncol. 1998 Oct;16(10):3222-9. Chang et al. Sustained drug release from tablets and particles through coating.
	C33	Chary et al. The dose-response relationship of controlled-release codeine (Codeine Contin) in chronic cancer pain. J
	C35	Pain Symptom Manage. 1994 Aug;9(6):363-71. Chmielewski et al. Comparative bioavailability of multiple doses of sustained release morphine tablets (Roxanol SR q
	C36	12h) and immediate release morphine solution (q 4h), 6 Proceedings of ASCO. 1987;275(Abstract #1080). Citron et al. Long-term administration of controlled-release oxycodone tablets for the treatment of cancer pain. Cancer
		Investigation. 1998;16(8):562-571. Codeine. Available at http://esc.syrres.com/interkow/webprop.exe.
	C37	Codeine. Clark's Isolation and Identification of Drugs. 1986;490-1.
-	C38	Codeine. The Merck Index 1989;(11 th ed.):384-5.
	C39	NYJD: 1563354.1

		of Application No. 10/809,700
1	C40	Comerford. Efficacy of controlled-release oxycodone. J Clin Oncol. 1999 Feb;17(2):738.
-K	 	Conrad et al. Sustained drug release from tablets and particles through coating in Pharmaceutical Dosage Forms-
//	C41	Tablets (Lieberman et al., eds). 1982. 3(4):149-221.
	-	Conrad et al., Sustained drug release from tablets and particles through coating in Pharmaceutical Dosage Forms-
	C42	Tablets (Lieberman et al., eds). 1982. 3(4):149-221.
		Cowan et al. Two assays for dihydrocodeine in plasma and in urine and their use to determine the bioavailability of a
	C43	controlled-release product. J Pharm Sci. 1988 Jul;77(7):606-9.
	-	Cundiff et al. Evaluation of a cancer pain model for the testing of long-acting analgesics. The effect of MS Contin in a
	C44	double-blind, randomized crossover design. Cancer. 1989 Jun 1;63(11 Suppl):2355-9.
		Curtis et al. Relative potency of controlled-release oxycodone and controlled-release morphine in a postoperative pain
	C45	model. Eur J Clin Pharmacol. 1999 Aug;55(6):425-9.
	-	Deschamps et al. The evaluation of analgesic effects in cancer patients as exemplified by a double-blind, crossover
	C46	study of immediate-release versus controlled-release morphine. J Pain Symptom Manage. 1992 Oct;7(7):384-92.
	-	Dhaliwal et al. Randomized evaluation of controlled-release codeine and placebo in chronic cancer pain. J Pain
	C47	
		Symptom Manage. 1995 Nov;10(8):612-23. DiPersio et al. Predicting plasma procainamide concentrations resulting from a sustained-release preparation. Clin
1 1	C48	Differsio et al. Fredicting plasma procamamide concentrations lessituing from a sustained-release preparation.
	<u> </u>	Pharm. 1985 Mar-Apr;4(2):186-91. Endo's Initial Post-Trial Brief dated 7/25/2003 in Purdue Pharma L.P. et al. v. Endo Pharmaceuticals Inc. et al. v.
	C49	Endo's Initial Post-Trial Brief dated //25/2005 in Purque Friantia L.P. et al. V. Endo Friantia Education in Co. 2010 (SUS) and O. Civ. 2117 (SUS)
	 	Euroceltique S.A., 00 Civ8029 (SHS); 01 Civ2109 (SHS); and 01-Civ8117 (SHS).
	C50	Endo's Post-Trial Proposed Findings of Fact dated 7/25/2003 in Purdue Pharma L.P. et al. v. Endo Pharmaceuticals
	ļ	Inc. et al. v. Euroceltique S.A., 00 Civ8029 (SHS); 01 Civ2109 (SHS); and 01-Civ8117 (SHS).
	C51	Endo's Post-Trial Proposed Conclusions of Law dated 7/25/2003 in Purdue Pharma L.P. et al. v. Endo
	₩-	Pharmaceuticals Inc. et al. v. Euroceltique S.A., 00 Civ8029 (SHS); 01 Civ2109 (SHS); and 01-Civ8117 (SHS).
	C52	Endo's Post-Trial Response Brief dated 8/8/2003 in Purdue Pharma L.P. et al. v. Endo Pharmaceuticals Inc. et al. v.
	<u> </u>	Euroceltique S.A., 00 Civ8029 (SHS); 01 Civ2109 (SHS); and 01-Civ8117 (SHS).
	C53	Endo's February 17, 2004 Memorandum in support of its Motion for Relief from Order with respect to Infringement in
1 1	1	Purdue Pharma, L.P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue Pharma Company
	i	(Plaintiffs and Counterclaim Defendants) and EuroCeltique S.A. (Counterclaim Defendant) v. Endo Pharmaceuticals
	1	Inc. (Defendant and Counterclaim Plaintiff), Endo Pharmaceuticals Holdings Inc. (Defendant) Civil Action Nos. 00-
	ļ	CV 8029 (SHS); 01-CV 2109 (SHS) and 01-CV 8177(SHS).
	C54	Endo's March 19, 2004 Reply Memorandum in support of its Motion for Relief from Order with respect to
	1	Infringement in Purdue Pharma, L.P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue
1 1	1	Pharma Company (Plaintiffs and Counterclaim Defendants) and EuroCeltique S.A. (Counterclaim Defendant) v. Endo
1 1		Pharmaceuticals Inc. (Defendant and Counterclaim Plaintiff), Endo Pharmaceuticals Holdings Inc. (Defendant) Civil
<u> </u>	+	Action Nos. 00-CV 8029 (SHS); 01-CV 2109 (SHS) and 01-CV 8177(SHS). Endo's Post-Trial Proposed Conclusions Of Law in Purdue Pharma L P., The Purdue Frederick Company, The P.F.
1. 1	C55	Laboratories, Inc., The Purdue Pharma Company (Plaintiffs and Counterclaim Defendants) v. Endo Pharmaceuticals,
l' l		Inc. (Defendant and Counterclaim Plaintiff), Endo Pharmaceuticals Holdings, Inc. (Defendant) v. EuroCeltique
1 1	1	S.A.(Counterclaim Defendant) Civil Action Nos. 00-Civ. 8029 (SHS); 01-Civ. 2109 (SHS); Civil Action Nos. 01-Cir.
1 . }		
	+	8117 (SHS). Endo's Post-Trial Proposed Findings of Fact in Purdue Pharma L.P., The Purdue Frederick Company, the P.F.
1 1	C56	Laboratories, Inc., The Purdue Pharma Company (Plaintiffs and Counterclaim Defendants) v. Endo Pharmaceuticals,
	1	Inc. (Defendant and Counterclaim Plaintiff), Endo Pharmaceuticals Holdings. Inc. (Defendant) v. EuroCeltique S.A.
		(Counterclaim Defendant) Civil Action Nos. 00-Civ. 8029 (SHS); 01-Civ. 2109 (SHS); Civil Action Nos. 01-Civ.
	1	8117 (SHS)
	+	Esterhail et al. Post operative analgesic efficacy of controlled release morphine. Pain. 1987;(Suppl.4):Abstract S230.
	C57	
	C58	February 25, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 80 mg,
		from Impax Laboratories, Inc. to Purdue Pharma LP. and The Purdue Frederick Company.
	C59	February 25, 2003 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10, 20
		and 40 mg, from Teva Pharmaceuticals USA to Purdue Pharma L.P., The P.F. Laboratories, Inc. and Euro-Celtique
		S.A.
	C60	February 9, 2001 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and
1 1		20 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P.,
		Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company, and The P.F. Laboratories, Inc.
	C61	Federal Court of Appeals Decision, Purdue Pharma, L.P., v. Boehringer Ingelheim GmbH, Docket No. 00-1398,
		Judge Sidney Stein; decided February 1, 2001.
	C62	Federal District Court Decision, Purdue Pharma, LP., v. Boehringer Ingelheim GmbH, 98 F. Supp. 2d. 362; 2000,
		U.S. Dist., S.D.N.Y.; U.S.P.Q. 2D 1168, Judge Sidney Stein; decided May 16, 2000.
	C63	Finn et al. Crossover Study of Sustained Release Morphine Sulfate (Roxanol SR) in Advanced Cancer, 6 Proceedings
<u> </u>		of ASCO 44, 1987; Abstract #1027.
	C64	Finn et al. Placebo-blinded study of morphine sulfate sustained-release tablets and immediate-release morphine sulfate
l F	L	solution in outpatients with chronic pain due to advanced cancer. J Clin Oncol. 1993 May;11(5):967-72.
1	C65	Fitzmartin et al. Stigma associated with opioid therapy for pain, results of a health care provider survey, AMERICAN
1 7		PAIN SOCIETY, 14 TH annual Scientific Meeting, 1995 Nov. 9-12;A144 abstract # 95877.

		of Application No. 10/809,766
1/	C66	Flanders et al. The Control of Drug Release From Conventional Melt Granulation Matrices. Drug Development and Industrial Pharmacy. 1987;13(6):1001-22.
	C67	Foldes. Role of oral and parenteral drugs in the management of intractable pain. Pain. 1988;9:286-9.
- /)	C68	Foley. The treatment of cancer pain. N Engl J Med. 1985 Jul 11;313(2):84-95.
	C69	Gibaldi et al. PHARMACOKINETICS, 2 nd Ed., Rev. & Exp. Marcel Dekker, Inc., New York. 1982;456-457;353-357.
	C70	Gibaldi et al. PHARMACOKINETICS, Ch. 4: Absorption Kinetics and Bioavailability, 2 nd Ed., Rev. & Exp., Marcel Dekker Inc., New York. 1985;145-198.
	C71	Gibaldi. Prolonged-release medication. Biopharm. and Clin. Pharmcokinetics. 4 th ed.1991;124-45.
	C72	Gibaldi. Prolonged-release medication. Biopharmaceutics and Clinical Phamakokinetics. 1984 (3 rd ed);27:113-130.
	C73	Glare et al. Oxycodone – a substitute for morphine in cancer pain management? PALLIATIVE MEDICINE. 1992; 6:79-80.
	C74	Gostick et al. A comparison of the efficacy and adverse effects of controlled release dihydrocodeine and immediate release dihydrocodeine in the treatment of pain in osteoarthritis and chronic back pain, The Edinburgh Symposium on Pain Control and Medical Education (R.G. Twycross, ed.), Royal Society of Medicine Services International Congress and Symposium Series No. 149, London. 1989;137-143.
	C75	Gourlay et al. Influence of a high-fat meal on the absorption of morphine from oral solutions. Clin Pharmacol Ther. 1989 Oct;46(4):463-8.
	C76	Gourlay et al. The reproducibility of bioavailability of oral morphine from solution under fed and fasted conditions. J Pain Symptom Manage. 1991 Oct;6(7):431-6.
	C77	Grandy et al. Bioavailability comparison of three controlled-release codeine formulations vs. conventional oral codeine. J. Pain & Symptom Manage. 1988; 3(3):Abstract S17 #27.
	C78	Grass et al. Sustained and controlled-release drug delivery systems. Modern Pharmaceutics, Ch. 16: 2 nd Ed., Marcel Dekker, Inc., New York. 1989;635-671.
•	C79	Guay et al. Pharmacokinetics of codeine after single- and multiple-oral-dose administration to normal volunteers. J Clin Pharmacol. 1987 Dec;27(12):983-7.
	C80	Hagen et al. Comparative clinical efficacy and safety of a novel controlled-release oxycodone formulation and controlled-release hydromorphone in the treatment of cancer pain. Cancer. 1997 Apr 1;79(7):1428-37.
	C81	Hale et al. Efficacy and safety of controlled-release versus immediate-release oxycodone: randomized, double-blind evaluation in patients with chronic back pain. Clin J Pain. 1999 Sep;15(3):179-83.
	C82	Hanks. Controlled-release morphine (MST Contin) in advanced cancer. The European experience. Cancer. 1989 Jun 1;63(11 Suppl):2378-82.
	C83	Hays et al. Comparative clinical efficacy and safety of immediate release and controlled release hydromorphone for chronic severe cancer pain. Cancer. 1994 Sep 15;74(6):1808-16.
	C84	Heinrich-Nols et al. Bioequivalence study of two morphine extended release formulations after multiple dosing in healthy volunteers. Int J Clin Pharmacol Ther. 1999 Mar;37(3):153-8.
	C85	Heiskanen et al. Controlled-Release Oxycodone and Morphine in Cancer Related Pain. Pain. 1997; 73:37-45.
	C86	Heiskanen et al. Morphine or Oxycodone in Cancer Pain?, Acta Oncologica. 2000; 39(8) 941-7.
	C87	Hood et al. Dose and Effectiveness of Oral Oxycodone Following PCA Morphine For Post-Operative Analgesia, Abstracts 7 th World Congress on Pain. 1993,390(Abstract 1028, Poster #14).
	C88	Houde et al. ANALGETICS, Ch. III: Clinical Measurement of Pain, deStevens, G. ed., Academic Press, New York. 1965;75-122.
ı	C89	Houde. The Use and Misuse of Narcotics in the Treatment of Chronic Pain. ADVANCES IN NEUROLOGY. 1974;4:527-536.
	C90	Houston et al. The influence of food on the pharmacokinetics of morphine from two controlled release preparations. British J. Clinical Res. 1991;2 201-9.
•	C91	Hunt et al. Comparison of the pharmacokinetic profiles of two oral controlled-release morphine formulations in healthy young adults. Clin Ther. 1991 Jul-Aug;13(4):482-8.
	C92	Hydromorphone. Available at http://esc.syrres.com/interkow/webprop.exe.
	C93	Hydromorphone. Clarke's Isolation and Identification of Drugs. 1986; 667-8.
	C94	Hydromorphone. The Merck Index. 1989;(11th ed.):762.
	C95	Impax's Answer and Counterclaims in Civil Action No. 02 CV 2803 (SHS)
	C96	Impax's Answer and Counterclaims in Civil Action No. 02 CV 7569 (SHS)
	C97	Impax's Answer and Counterclaims in Civil Action No. 02 CV 8036 (SHS)
	C98	IMS Study (D18).
	C99	Inturrisi. Role of opioid analgesics. Am J Med. 1984 Sep.10;77(3A):27-37.
	C100	
	C101	Jamison et al. Survey of Opioid Use in Chronic Nonmalignant Pain Patients, 11th ANNUAL SCIENTIFIC MEETING,

Sheet 9 of 13 of List of References of Application No. 10/809,766

		of Application No. 10/809,786
2	C102	July 31, 2001 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 80 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc.
1		June 16, 2004 Reply Brief of Plaintiffs-Appellants in Purdue Pharma, L.P., The Purdue Frederick Company, The P.F.
// N	C103	Laboratories, Inc., The Purdue Pharma Company (Plaintiffs/Counterclaim Defendants-Appellants) and EuroCeltique
		S.A. (Counterclaim Defendant) v. Endo Pharmaceuticals Inc. (Defendant and Counterclaimant-Cross Appellant),
		Endo Pharmaceuticals Holdings Inc. (Defendant-Cross Appellant), United States Court of Appeals for the Federal
		Circuit, Appeals Nos. 04-1189, -1226,-1347,-1357.
		June 30, 2004 Reply Brief of Defendants/Cross-Appellants in Purdue Pharma, L.P., The Purdue Frederick Company,
	C104	The P.F. Laboratories, Inc., The Purdue Pharma Company (Plaintiffs/Counterclaim Defendants-Appellants) and
	į į	The P.P. Laboratories, inc., the Furaue Finantia Compuny (Finantia) Countercain Defendant and Counterfalling of the P.F. Laboratories of the P.F.
	. .	EuroCeltique S.A. (Counterclaim Defendant) v. Endo Pharmaceuticals Inc. (Defendant and Counterclaimant-Cross
	l	Appellant), Endo Pharmaceuticals Holdings Inc. (Defendant-Cross Appellant), United States Court of Appeals for the
		Federal Circuit, Appeals Nos. 04-1189, -1347,-1357.
	C105	Kaiko et al. A bioequivalence study of oral controlled-release morphine using naltrexone blockade. J Clin Pharmacol.
		1995 May;35(5):499-504.
	C106	Kaiko et al. A single-dose study of the effect of food ingestion and timing of dose administration on the
		pharmacokinetic profile of 30-mg sustained-release morphine sulfate tablets. Current Ther Res. 1990;47 (5):869-878.
	C107	Kaiko et al. Analgesic onset And potency of oral controlled, release (CR) oxycodone and CR morphine. Clinical
		Pharmacol & Ther. 1996; Abstract 130 #PI-4.
	C108	Kaiko et al. Basics of opioid analgesic pharmacodynamics. J Pain Symptom Manage. 1986 Spring;1(2):103-5.
		Kaiko et al. Bioequivalency of Controlled-Release 100 mg Morphine vs. Three Ms Contin 30 mg Tablets. 6
	C109	Proceedings of ASCO. 1987;271(Abstract 1066).
		Kaiko et al. Bioequivalency of controlled-release 60 mg morphine vs. two MS Contin 30 mg tablets. Oncol Nurs.
_	C110	Forum. Suppl 1987 Mar-Apr; Abstract #148P, 118.
	_	Kaiko et al. Controlled-release morphine bioavailability (MS Contin® Tablets) in the presence and absence of food.
	CIII	
-		HOSPICE J. 1990;6(4) 17-30.
	C112	Kaiko et al. Controlled-Release Oral Morphine (MS Contin Tablets, MSC) in Postoperative Pain. Eur J Pharmacol.
		1990; 183 (6)1437-1438.
	C113	Kaiko et al. Controlled-Release Oral morphine for Cancer-Related Pain: The European and North American
	į.	Experiences, ADVANCES IN PAIN RESEARCH AND THERAPY, vol. 16 K.M. Foley, ed., Raven Press, Ltd., New
		York. 1990;171-89.
	C114	Kaiko et al. Pharmacokinetic Characterization of Controlled-Release Oral Codeine for Chronic Cancer Pain. 5
		Proceedings of ASCO 1986; 255 #996.
}	C115	Kaiko et al. Steady-state Bioavailability Evaluation of Controlled Release Oral Codeine, FASEB J. ABSTRACT A
1 1		1558 #7333 May 1-May 5 Meeting of the Federation of American Societies for Experimental Biology (72nd Annual
		Meeting, Las Vegas NV) (1998).
	C116	Kaiko et al. The Bioavailability of Morphine in Controlled-Release 30 mg Tablets per Rectum Compared With
1	ŀ	Immediate-Release 30-mg Rectal Suppositories and Controlled-Release 30-mg Oral Tablets. Pharmacotherapy.
		1992;12 (2):107-113.
	C117	Kaiko et al. The united states experience with oral controlled-release morphine (MS Contin Tablets): Parts I and II.
	1	Review of nine dose titration studies and clinical pharmacology of 15mg, 30-mg, 60-mg, and 100-mg tablet strengths
		in normal subjects. Cancer. 1989 June 1 Suppl.;63(11):2348-2354.
	C118	Kaiko, Robert, Dr., Declaration dated 3/9/1993 in United States Patent Application No. 07/800,549, filed 11/27/1991.
├ ─		Kaiko. Clinical Protocol and Role of Controlled Release Morphine in the Surgical Patient. Anesthesiol and Pain
	C119	Manage. 1991; 193-212.
		Kaiko. Relationship between opioid disposition and their pharmacological effects – an overview. Postgrad. Med. J.
	C120	1991; 67(SUPPL. 2):S44-9.
 		Kaiko. The Pre-and Postoperative Use of Controlled-Release Morphine (MS Contin Tablets): A Review of the
	C121	Published Literature" Medical Department, The Purdue Frederick Company, Royal Society of Medical Services,
	İ	International Congress, Symposium Services. 1989;(No.149):147-160.
 	0:00	Kalso et al. Hallucinations during morphine but not during oxycodone treatment. Lancet. 1988 Oct 15;2(8616):912.
	C122	
	C123	Kalso et al. Morphine and oxycodone hydrochloride in the management of cancer pain. Clin Pharmacol Ther. 1990
		May;47(5):639-46.
$I^{-}I^{-}$	C124	Kalso et al. Morphine and oxycodone hydrochloride in the management of cancer pain. Clin Pharmacol Ther. 1990
<u> </u>		May;47(5):639-46.
	C125	Kalso et al. Morphine and oxycodone in the management of cancer pain: plasma levels determined by chemical and
[]		radioreceptor assays. Pharmacol Toxicol. 1990 Oct;67(4):322-8.
r - t -	C126	Kalso, et al. Intravenous morphine and oxycodone for pain after abdominal surgery. Acta Anaesthesiologica
	120	Scandinavica. 1991;35:642-646.
	C127	Kaplan et al. Comparison of controlled-release and immediate-release oxycodone tablets in patients with cancer pain. J
	C12/	Clin Oncol. 1998 Oct; 16(10):3230-7.
	0100	Khan et al. Dissolution testing for sustained or controlled release oral dosage forms and correlation with in vivo data:
'	C128	challenges and opportunities. International J., Of Pharmaceutics. 1996;140:131-143.
—		Khojasteh et al. Controlled-release oral morphine sulfate in the treatment of cancer pain with pharmacokinetic
1.2	.C129	correlation. J Clin Oncol. 1987 Jun;5(6):956-61.
L		NYJD: 1563354.1

			of Application No. 10/809,766
		C130	Khojasteh et al. Safety, and Efficacy of Slow-Release Morphine Sulfate Tablets in Cancer Pain Therapy. 5 Proceedings of ASCO 256 Abstract #1000 (1986).
	7	C131	Krant et al. Cancer Pain Management with Controlled-Release Oral Morphine. 5 Proceedings of ASCO.
			1986;251(Abstract #981). Lapin el al. Guidelines for use of controlled-release oral morphine in cancer pain management. Correlation with
		C132	clinical experience. Cancer Nurs. 1989 Aug;12(4):202-8.
		C133	Lapin et al. Cancer pain management with a controlled-release oral morphine preparation. J Pain Symptom Manage.
		0.55	1989 Sep;4(3):146-51.
		C134	Lazarus et al. Absorption, testing, and clinical evaluation of oral prolonged-action drugs. J Pharm Sci. 1961 Sep;50:715-32.
		C135	Lee et al. Methods to achieve sustained drug delivery. The physical approach: Oral and parenteral dosage forms. Sustained and Controlled Release Drug Delivery Systems. 1978;(3)123-204.
		C136	Leeson, et al. The in vitro development of extended-release solid oral dosage forms. J Pharmacokinet Biopharm. 1985 Oct; 13(5):493-514.
		C137	Lehmann. Acrylic Latices from Redispersable Powders for Peroral and Transdermal Drug Formulations. Drug Dev And Industrial Pharm. 1956; 12(3):265-87.
		C138	Leow et al. Comparative oxycodone pharmacokinetics in humans after intravenous, oral, and rectal administration. Ther Drug Monit. 1992 Dec;14(6):479-84.
		C139	Leow et al. Single-dose and steady-state pharmacokinetics and pharmacodynamics of oxycodone in patients with cancer. Clin Pharmacol Ther. 1992 Nov;52(5):487-95.
		C140	Leow. The clinical pharmacology of oxycodone. A thesis submitted for the degree of Doctor of Philosophy. The
		C140	University of Queensland. 1993.
		C141	Leslie et al. Controlled release morphine sulphate tabletsa study in normal volunteers. Br J Clin Pharmacol. 1980 May;9(5):531-4.
	. 1	C142	Leslie. Continuous Controlled Release Preparations. Symposium Supplement Br J Clin Pharmacol. 1981;10:5-8.
		C143	List of known opioids and known opiates.
	<u> </u>		Lloyd et al. The efficacy and tolerability of controlled-release dihydrocodeine tablets and combination
			dextropropoxyphene/paracetamol tablets in patients with severe osteoarthritis of the hips. Cur Med Res Opinions. 1992:13(1):37-48.
		C145	LoRusso et al. Comparison of Controlled-release oxycodone-(OxyContin TM) tablets to controlled-release morphine (MS Contin®) in patients with cancer pain. American Pain Society. 15 th Annual Scientific Meeting. 1996;Abstract #675.
		C146	LoRusso et al. The Effects of Oral Controlled-Release Morphine and Oxycodone on Cancer-Related Neuropathic Pain. American Pain Society: 17th Annual Scientific Meeting. 1998;Poster Abstracts 130 #724.
		C147	MacDonald et al. A Double-Blind, Cross-Over Comparison Between Slow-Release Morphine (SRM) and Short-Acting Morphine (SAM) in the Treatment of Cancer Pain. 6 Proceedings of ASCO; 1987;44(Abstract #1054.
		C148	Mandema et al. Pharmacokinetic Model For A New Oral Controlled Release Formulation Of Oxycodone. Anesthesiol. 1994;81(3A):A383.
		C149	Maruta et al. Problems with the use of oxycodone compound in patients with chronic pain. Pain. 1981 Dec;11(3):389-96.
		C150	May 12, 2004 Brief of Defendants/Cross-Appellants in Purdue Pharma, L.P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue Pharma Company (Plaintiffs/Counterclaim Defendants-Appellants) and
			EuroCeltique S.A. (Counterclaim Defendant) v. Endo Pharmaceuticals Inc., (Defendant and Counterclaimant- Cross
			Appellant), Endo Pharmaceuticals Holdings Inc. (Defendant-Cross Appellant), United States Court of Appeals for the
- 			Federal Circuit, Appeals Nos.04-1189, -1226, -1347, -1357. McKay. Pain management for urological malignancies. Urol Int. 1991;46(3):252-8.
\square		C151	
		C152	McTaggart et al. The evaluation of formulation and processing conditions of a melt granulation process. International J Pharmaceutics. 1984;19:139-48.
		C153	1991 Jan:20(1):10-12.
		C154	Morphine sulfate sustained release. Compendium of Pharmaceutical and Specialties. 1988;572-3.
		C155	Morphine sulfate. Available at http://esc.syrres.com/interkow/webprop.exe.
		C156	Morphine. Available at http://esc.syrres.com/interkow/webprop.exe.
\vdash		C157	Morphine. Clarke's Isolation and Identification of Drugs. 1986;790-1.
\vdash		C158	Morphine. The Merck Index. 1989;(11th ed.):988-9.
\vdash		C159	Mucci-LoRusso et al. Controlled-release oxycodone compared with controlled-release morphine in the treatment of
		C139	cancer pain: a randomized, double-blind, parallel-group study. Eur J Pain. 1998;2(3):239-49.
		C160	Muhtadi et al. Codeine phosphate: Analytical Profiles of Drug-Substances. 1981;(10):93-138.
	· -	C161	Muhtadi, Analytical profile of morphine. Analytical Profiles of Drug Substances. 1988;(17):259-366.
 		C162	Munday. Changes in Drug Release Rate 2, Effect of Temperature and Relative Humidity on Polymeric Film Coatings.
$\Box \mathcal{L}$		C102	5th Cong. Int. Tech. Pharm. 1989; 2:55-60.

		of Application No. 10/809,700
	C163	Nichols et al. Oxycodone injection: Pharmacokinetics. Abstracts 10 th World Congress on Pain. 2002 Aug;59 (191-P87) and
- Y	6164	Final Study Report. November 8, 2001 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 160
U_1	C164	mg, from Teva Pharmaceuticals USA to Purdue Pharma L.P.
	C165	Oral oxycodone: new preparation. No better than oral morphine. rescrire Int. 2003 Jun;12(65):83-4.
	C166	Oshlack. Internal memorandum regarding R&D. 1983 Aug.
-	C167	Oshlack. Notes on Example 2 of D1. The Purdue Frederick Research Center. 1982.
-		Oxycodone HCI trihydrate. Compendium of Pharmaceuticals and Specialties. 1988;879.
ļ.	C168	Oxycodone. Available at http://esc.syrres.com/interkow/webprop.exe
	C169	· · · · · · · · · · · · · · · · · · ·
	C170	Oxycodone. Clark's isolation of Drugs. 1986;841.
	C171	Oxycodone. The Merck Index. 1989; (11 th ed.):1100.
	C172	Parab et al. Pharmacokinetics of hydromorphone after intravenous, peroral and rectal administration to human subjects. Biopharm Drug Dispos. 1988 Mar-Apr;9(2):187-99.
	C173	Paul et al. Pharmacological characterization of morphine-6 beta-glucuronide, a very potent morphine metabolite. J Pharmacol Exp Ther. 1989 Nov;251(2):477-83.
	C174	Physicians Desk Reference 1994, 48th Edition, pages 1821-1824.
	C175	Physician's Desk Reference, OxyContin, 56 Ed. at 2912-2916, (2002)
	C176	Portenoy et al. Controversies in the long-term management of analgesic therapy in patients with advanced cancer. J Pain Symptom Manage. 1990 Oct;5(5):307-19.
	C177	Portenoy et al. Oral controlled-release morphine sulfate. Analgesic efficacy and side effects of a 100-mg tablet in cancer pain patients. Cancer. 1989 Jun 1;63(11 Suppl):2284-8.
•	C178	Portenoy et al. The metabolite morphine-6-glucuronide contributes to the analgesia produced by morphine infusion in patients with pain and normal renal function. Clin Pharmacol Ther. 1992 Apr;51(4):422-31.
	C179	Pöyhia et al. The pharmacokinetics and metabolism of oxycodone after intramuscular and oral administration to healthy subjects. Br J Clin Pharmacol. 1992 Jun;33(6):617-21.
	C180	Pöyhia et al. The pharmacokinetics and metabolism of oxycodone after intramuscular and oral administration to healthy subjects. Br J Clin Pharmacol. 1992 Jun;33(6):617-21.
	C181	Pöyhia et al. The pharmacokinetics of oxycodone after intravenous injection in adults. Br J Clin Pharmacol. 1991 Oct;32(4):516-8.
	C182	Pöyhia et al., A review of oxycodone's clinical pharmacokinetics and pharmacodynamics. J Pain Symptom Manage. 1993 Feb;8(2):63-7.
	C183	Product Information OxyContin (D17c).
	C184	Product Information. 1990; 710-3 (D17a).
	C185	Product Information. 2001 (D17b).
	C186	Prosecution File History, U.S. Patent No. 4,861,598, filed July 18, 1986
	C187	Purdue Pharma, L.P., v. Endo Pharmaceuticals Inc., 2004 WL 26523 (S.D.N.Y. Jan. 5, 2004).
\vdash		Purdue Pharma, LP, The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue Pharma
	C188	Company(Plaintiffs and Counterclaim Defendants) v. Endo Pharmaceuticals Inc., (Defendant and Counterclaim
		Plaintiff), Endo Pharmaceuticals Holdings Inc. (Defendant) v. EuroCeltique S.A. (Counterclaim Defendant) 2004 WL
		26523 (.S.D.N.Y. Jan. 5, 2004), 70 U.S.P.Q.2d 1185. Purdue's Complaint in Purdue Pharma L. P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The
.	C189	Purdue Pharma Company v. Teva Pharmaceuticals USA, Inc., Civil Action No. 01 CV 8507 (SHS).
	C190	Purdue's Opening Brief After Trial dated 7/25/2003 in Purdue Pharma L.P. et al. v. Endo Pharmaceuticals Inc. et al. v.
 		Euroceltique S.A., 00 Civ8029 (SHS); 01 Civ2109 (SHS); and 01-Civ8117 (SHS). Purdue's Proposed Findings of Fact and Conclusions of Law After Trial dated 7/25/2003 in Purdue Pharma L.P. et al.
	C191	v. Endo Pharmaceuticals Inc. et al. v. Euroceltique S.A., 00 Civ8029 (SHS); 01 Civ2109 (SHS); and 01-Civ8117 (SHS).
	C192	Purdue's Reply Brief After Trial dated 8/8/2003 in Purdue Pharma L.P. et al. v. Endo Pharmaceuticals Inc. et al. v. Euroceltique S.A., 00 Civ8029 (SHS); 01 Civ2109 (SHS); and 01-Civ8117 (SHS).
	C193	Purdue's Complaint in Purdue Pharma L P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue Pharma Company v. Impax Laboratories, Inc., Civil Action No. 02 CV 7569 (SHS).
	C194	Purdue's Complaint in Purdue Pharma L.P., The Purdue Frederick Company, The P.F Laboratories, Inc., The Purdue Pharma Company v. Impax Laboratories, Inc., Civil Action No. 02 CV 2803 (SHS).
 	C195	Purdue's Complaint in Purdue Pharma L.P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue
		Pharma Company v. Impax Laboratories, Inc., Civil Action No. 02 CV 8036 (SHS).
	C196	Pharma Company v. Teva Pharmaceuticals USA. Inc., Civil Action No. 03 CV 2312 (SHS).
1	C197	Purdue's Complaint in Purdue Pharma LP., The Purdue Frederick Company, the P.F. Laboratories, Inc., The Purdue
L-A		Pharma Company v. Teva Pharmaceuticals USA, Inc., Civil Action No. 01 CV 11212 (SHS).

Pharma, L.P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue Pharma Company (Plaintiffs and Counterclaim Defendants) and Euro Celtique S.A. (Counterclaim Defendant) v. Endo Pharmaceuticals Inc. (Defendant and Counterclaim Plaintiff). Endo Pharmaceuticals Inc. (Defendant) Civil Action Nos. On-Civ 8029 (SHS); 01-Civ 1209 (SHS) and 01-Civ 8177(SHS). C169 Purdue's Proposed Findings Of Fact And Conclusions Of Law After Trial in Purdue Pharma L.P., The Purdue Pharmaceuticals Inc. (Defendants) v. Endo Pharmaceuticals, Inc. (Defendant and Counterclaim Plaintiff). Endo Pharmaceuticals, Inc. (Defendant on Action Nos. On-Civ. 8029 (SHS); 01-Civ. 2109 (SHS); (Civil Action Nos. 01-Civ. 8117 (SHS). C200 Purdue's Reply to Answer and Counterclaim Defendant Civil Action Nos. On-Civ. 8029 (SHS); 01-Civ. 2109 (SHS); (Civil Action Nos. 01-Civ. 8117 (SHS). C201 Purdue's Reply to Answer and Counterclaims in Civil Action No. 01 CV 8507 (SHS). C202 Reder et al. Ease of Titration to Stable Pain Control in Chronic Pain patients with Controlled-Release Oral Oxycodone (OxyComin') Tablets, Abstracts, 8 World Congress on Pain. Vancouver, Canada, 1996 August 17-22;33(Abstract 1712). C202 Reder et al. Ease of Titration to Stable Pain Control in Chronic Pain patients with Controlled-Release Oral Oxycodone (OxyComin') Tablets, Abstracts, 8 World Congress on Pain. Vancouver, Canada, 1996 August 17-22;33(Abstract 1712). C203 Reder et al. Ease of Titration to Stable Pain Control in Chronic Pain patients with Controlled-Release Oral Oxycodone (OxyComin') Tablets, Abstracts, 8 World Congress on Pain. Vancouver, Canada, 1996 August 17-22;33(Abstract 1712). C204 Reder et al. Ease of Titration to Stable Pain Controlled-Release Oxycodone (OXYCR), AMERICAN PAIN SOCIETY, 14th Annual Scientific Meeting; 1995 Nov 9-12;A144(Abstract 195878). C205 Renzi et al. Augustitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan/58(1):43-5. Renzi et al. Quantitative GLC determination of oxycodone in human plasma.			of Application No. 10/809,700
S029 (SHS), 01-Civ 2109 (SHS) and 01-Civ 8177(SHS).	A	C198	and Counterclaim Defendants) and EuroCeltique S.A. (Counterclaim Defendant) v. Endo Pharmaceuticals Inc.
C199 Purdue's Proposed Findings Of Fact And Conclusions Of Law After Trial in Purdue Pharma C. P., The Purdue Pharma Company, Te J. E. Laboratories, Inc., The Purdue Pharma Company, Plaintiffs and Counterclaim Defendants) v. Endo Pharmaceuticals, Inc. (Defendant and Counterclaim Plaintiff). Endo Counterclaim Plaintiff). Endo Pharmaceuticals Holdings, Inc. (Defendant) v. Endo Pharmaceuticals Inc. (Defendant and Counterclaim Plaintiff). Endo Pharmaceuticals Holdings, Inc. (Defendant) v. Endo Pharmaceuticals Inc. (Defendant and Counterclaim in Civil Action No. 03 CV 3507 (SHS). C200 Purdue's Reply to Answer and Counterclaims in Civil Action No. 03 CV 2312 (SHS). C201 Purdue's Reply to Answer and Counterclaims in Civil Action No. 03 CV 2312 (SHS). C202 Reder et al. Ease of Titration to Stable Pain Control in Chronic Pain patients with Controlled-Release Oral Oxycodone (OxyContin [®]) Tablets, Abstracts, 8° World Congress on Pain, Vancouver, Canada, 1996 August 17-22;35(Abstract 171). C203 Reder et al. Physician Survey of Attitudes About Controlled-Release Oxycodone (OXYCTD). AMERICAN PAIN SCICIETY, 16° Annual Scientific Meeting; 1995 Nov 9-12;A 144(Abstract 895878). C204 Robert et al. Stady-state bioavailability of controlled-release oxycodone in normal subjects. Clin Ther. 1996 Jan-Potto 18(1):9-10. C205 Rent et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. C206 Rikelman et al. The application of statistical moment theory to the evaluation of in vido dissolution time. J Pharmacolite Biopharm. 1980 Oct;8(5):509-34. C207 Ripamonti. Traitement de la douleur et soins palliatifs pour les malades atteins de cancer avancé. Doul. et Analg. 1990;37-36. (In French, wh. English abstract). C208 Richiteili et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacochrerapy. 2002 1a;12(2):788-509. C210 Robinson et al. Theoretical formulation of sustained-release multiple-dose therapy: noncumulative attainment of desired blood	η		
C200 Purdue's Reply to Answer and Counterclaim in Civil Action No. 01 CV 8507 (SHS). C201 Purdue's Reply to Answer and Counterclaims in Civil Action No. 03 CV 2312 (SHS). C202 Reder et al. Ease of Tiration to Stable Pain Control in Chronic Pain patients with Controlled-Release Oral Oxycodone (OxyContin **) Tablets, Abstracts, 8* World Congress on Pain. Vancouver, Canada, 1996 August 17-22;33(Abstract #171). C203 Reder et al. Physician Survey of Attitudes About Controlled-Release Oxycodone (OXYCR), AMERICAN PAIN SOCIETY, 14* Annual Scientific Meeting; 1995 Nov 9-12;A144(Abstract #95878). C204 Reder et al. Steady-state bioavailability of controlled-release oxycodone in normal subjects. Clin Ther. 1996 Jan-Feb;18(1):59-105. C205 Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. C206 Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. C207 Ripamonii. Traitement de la double et soins palliatifs pour les malades atteins de cancer avancé. Doul. et Analg. 1990;37:58-18 (In French, w/ English abstract). C208 Rickhitelli et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacotherapy. 2002 Jul;227:888-904. C210 Robinson et al. Theoretical promacine to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage, 1990 Cett(6):450-60. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release	4	C199	Purdue's Proposed Findings Of Fact And Conclusions Of Law After Trial in Purdue Pharma L.P., The Purdue Frederick Company, The P.F. Laboratories, Inc., The Purdue Pharma Company (Plaintiffs and Counterclaim Defendants) v. Endo Pharmaceuticals, Inc. (Defendant and Counterclaim Plaintiff), Endo Pharmaceuticals Holdings, Inc. (Defendant) v. EuroCeltique, S.A. (Counterclaim Defendant) Civil Action Nos. 00-Civ. 8029 (SHS); 01-Civ. 2109
C201 Purdue's Reply to Answer and Counterclaims in Civil Action No. 03 CV 2312 (SHS). C202 Reder et al. Ease of Titration to Stable Pain Control in Chronic Pain patients with Controlled-Release Oral Oxycodone (OxyComin*) Tablets, Abstracts, 8**Mord Congress on Pain. Vancouver, Canada, 1996 August 17-22;33(Abstract #171). C203 Reder et al. Physician Survey of Attitudes About Controlled-Release Oxycodone (OXYCR), AMERICAN PAIN SOCIETY, 14**Annual Scientific Meeting; 1995 Nov 9-12;A144(Abstract #95878). C204 Reder et al. Eseady-state bioavaitability of controlled-release oxycodone in normal subjects. Clin Ther. 1996 Jan-Feb;18(1):95-105. C205 Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. Renzi et al. Stable	-	C200	Purdue's Reply to Answer and Counterclaim in Civil Action No. 01 CV 8507 (SHS).
C202 Reder et al. Ease of Titration to Stable Pain Control in Chronic Pain patients with Controlled-Release Oral Oxycodone (OxyConlin ²⁸) Tablets, Abstracts, 8* World Congress on Pain. Vancouver, Canada, 1996 August 17-22;33(Abstract #171). C203 Reder et al. Physician Survey of Attitudes About Controlled-Release Oxycodone (OXYCR). AMERICAN PAIN SOCIETY, 14* Annual Scientific Meeting; 1995 Nov 9-12;A144(Abstract #95878). C204 Reder et al. Steady-state bioavailability of controlled-release oxycodone in normal subjects. Clin Ther. 1996 Jan-Feb;18(1):95-105. C205 Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. C206 Riegelman et al. The application of statistical moment theory to the evaluation of in vivo dissolution time and absorption time. J Pharmacokinet Biopharm. 1980 Oct;8(5):509-34. C207 Riegelman in Traitement de I douleur et soins palliatify pour les malades atteints de cancer avancé. Doul. et Analg. 1990;3:75-81 (in French. w/ English abstract). C208 Rischielli et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacotherapy. 2002 Jul;22(17):898-904. C209 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. J Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Royer at al. Solubility and related physicochemical properties of narcotic analgesies. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Phain Symptom Manage. 1990 Oct;18(4):271-9. C215 Salzman		-	
(CxyContin ⁷⁹) Tablets, Abstracts, 8th World Congress on Pain. Vancouver, Canada, 1996 August 17-22;53(Abstract #171). C203 Reder et al. Physician Survey of Attitudes About Controlled-Release Oxycodone (OXYCR). AMERICAN PAIN SOCIETY, 14th Annual Scientific Meeting; 1995 Nov 9-12;A144(Abstract #95878). C204 Reder et al. Steady-state bioavailability of controlled-release oxycodone in normal subjects. Clin Ther. 1996 Jan-Feb;18(1):95-105. C205 Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. Renzi et al. Quantitative GLC determination of sustained-release oxycodone: a systematic literature review. Pharmacocherapy. 2002 Jul;22(7):898-904. C208 Rischitelli et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacotherapy. 2002 Jul;22(7):898-904. C208 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. P Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dose dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):200-6. C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narvotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone bused as readily as an immediate-release form for the purpose o		 	· ·
C201 Reder et al. Stady-state bioavailability of controlled-release oxycodone in normal subjects. Clin Ther. 1996 Jan-Feb; 18(1):95-105. C205 Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. C206 Riegelman et al. The application of statistical moment theory to the evaluation of in vivo dissolution time and absorption time. J Pharmacokinet Biopharm. 1980 Oct;8(5):509-34. C207 Ripamonti. Traitement de la douleur et soins palliaitifs pour les malades atteints de cancer avancé. Doul. et Analg. 1990;3:75-81 (in French, w/ English abstract). C208 Rischielli et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacotherapy. 2002 Jul;22(7):398-904. C209 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. J Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical approach to sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;67(3):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of tirating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Controlled Release Oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Seady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):305-10. C217 Save		C202	(OxyContin [™]) Tablets, Abstracts, 8 th World Congress on Pain. Vancouver, Canada, 1996 August 17-22;53(Abstract #171).
C204 Reder et al. Steady-state bioavailability of controlled-release oxycodone in normal subjects. Clin Ther. 1996 Jan-Feb;18(1):95-105. C205 Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. C206 Riegelman et al. The application of statistical moment theory to the evaluation of in vivo dissolution time and absorption time. J Pharmacokinet Biopharm. 1980 Oct;8(5):509-34. C207 Ripamonti. Traitement de la douleur et soins palliaitifs pour les malades atteints de cancer avancé. Doul. et Analg. 1990;37:58-81 (in French, wf English abstract). C208 Rischitelli et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacotherapy. 2002 Jul;22(7):898-904. C209 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. J Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch lat Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underrollization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C216 Savarese et al. Can a controlled-release oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design of Proceedings of ASCO. 1987, Abstract #103, Abstract #103, Pharmacolytical Pharmacolytical Ph		C203	Reder et al. Physician Survey of Attitudes About Controlled-Release Oxycodone (OXYCR). AMERICAN PAIN SOCIETY, 14 th Annual Scientific Meeting; 1995 Nov 9-12;A144(Abstract #95878).
C205 Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5. C206 Riegelman et al. The application of statistical moment theory to the evaluation of in vivo dissolution time and absorption time. J Pharmacokinet Biopharm. 1980 Oct;8(5):590-34. C207 Ripamonti. Traitement de la douleur et soins palliatifs pour les malades atteints de cancer avancé. Doul. et Analg. 1990;375-8-81 (in French, w/ English abstract). C208 Rischitelli et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacotherapy. 2020 Ju;22(7):898-904. C209 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. J Pharm Sci. 1970 Dec;59(12): 1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch lat Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of tirating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Controlled-release Oral Morphine Sulfate (MS Contin®). A Twelve Hour Analgesic Confirmed by Rescue Factor Design, 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Sleady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Saw et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a La		C204	Reder et al. Steady-state bioavailability of controlled-release oxycodone in normal subjects. Clin Ther. 1996 Jan-
absorption time. J Pharmacokinet Biopharm. 1980 Oct;8(5):509-34. C207 Ripamonti. Traitement de la douleur et soins pallialitis pour les malades atteints de cancer avancé. Doul. et Analg. 1990;3:75-81 (in French, w English abstract). C208 Rischitelli et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacotherapy. 2007 Jul;22(7):898-904. C209 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. J Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Contolled-Release Oral Morphine Sulfate (MS Contin®). A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Save et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University		C205	Renzi et al. Quantitative GLC determination of oxycodone in human plasma. J Pharm Sci. 1979 Jan;68(1):43-5.
C207 Ripamonti, Traitement de la douleur et soins palliatifs pour les malades atteints de cancer avancé. Doul. et Analg. 1990;375-81 (in Prench, w English abstract). C208 Rischitelli et al. Safety and efficacy of controlled-release oxycodone: a systematic literature review. Pharmacotherapy. 2002 Jul;22(7):898-904. C209 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. J Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The undertuilization of oxycodone. J Pain Symptom Manage. 1991 Dec;16(7):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1990 Dec;18(4):271-9. C215 Savarese et al. Controlled-Release Oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Stady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schember 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. a		+	Riegelman et al. The application of statistical moment theory to the evaluation of in vivo dissolution time and
1990;3:75-81 (in French, w English abstract).	-	0007	absorption time. J Pharmacokinet Biopharm. 1980 Oct;8(5):509-34. Ringmonti, Traitement de la douleur et soins palliatifs pour les malades atteints de cancer avancé. Doul. et Analg.
2002 Jul;22(7):898-904. C209 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. J Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narvotic analgesise. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Controlled-Release Oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990;16(3):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queenistand. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P., and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice regarding Oxycodone Hydrochloride Extended-Release		C207	1990;3:75-81 (in French, w/ English abstract).
C209 Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired blood level. J Pharm Sci. 1970 Dec;59(12):1796-800. C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underrutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Saverase et al. Controlled-Release Oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Saverase et al. Seady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(3):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue	•	C208	
C210 Robinson et al. Theoretical formulation of sustained-release dosage forms. J Pharm Sci. 1966 Nov;55(11):1254-63. C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of tirating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Controlled-Release Oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release		C209	Robinson et al. Theoretical approach to sustained-release multiple-dose therapy: noncumulative attainment of desired
C211 Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when release is both immediate and zero order. Arch Int Pharmacodyn Ther. 1971 Dec;194(2):290-6. C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Controlled-Release Oral Morphine Sulfate (MS Contin®). A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(3):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Euro-Celtique S.A., The Purdue Pharma C.P., and The Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories. Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. P		C210	The second of the second state of the second
C212 Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452. C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? Jain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Controlled-Release Oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Molt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Pharma L.P. and The Purdue Prederick Company. C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Siber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmacodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Eff		+	Rodda. Sustained release preparations: estimation of plasma concentration in the one compartment open model when
C213 Roy et al. Solubility and related physicochemical properties of narcotic analgesics. Pharm Res. 1988 Sep;5(9):580-6. C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Controlled-Release Oral Morphine Sulfate (MS Control®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(3):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma L.P. and The Purdue Frederick Company. C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Siber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmcodynamics Dept., Med. Res. Div. Am. Cy		C212	Rogers. The underutilization of oxycodone. J Pain Symptom Manage. 1991 Oct;6(7):452.
C214 Salzman et al. Can a controlled-release oral dose form of oxycodone be used as readily as an immediate-release form for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9. C215 Savarese et al. Controlled-Release Oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma L.P. and The Purdue Pharma L.P. and The Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmcodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and			
for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct; 18(4):271-9. C215 Savarese et al. Controlled-Release Oral Morphine Sulfate (MS Contin®), A Twelve Hour Analgesic Confirmed by Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec; 11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmacodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the a		+	O L
Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038. C216 Savarese et al. Steady-state pharmacokinetics of controlled release oral morphine sulphate in healthy subjects. Clin Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schaeider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmcodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. Steinbach et al. Evaluation of Pharmaceutical Availability fr		ļ	for the purpose of titrating to stable pain control? J Pain Symptom Manage. 1999 Oct;18(4):271-9.
Pharmacokinet. 1986 Nov-Dec;11(6):505-10. C217 Sawe et al. Morphine kinetics in cancer patients. Clin Pharmacol Ther. 1981 Nov;30(5):629-35. C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmcodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		CZ13	Rescue Factor Design. 6 Proceedings of ASCO. 1987; Abstract #1038.
C218 Schaefer et al. Melt granulation in a Laboratory scale high shear mixer. Drug Development and Industrial Pharmacy. 1990; 16(8):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmcodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C216	Pharmacokinet. 1986 Nov-Dec;11(6):505-10.
1990; 16(8):1249-77. C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmacodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C217	
C219 Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989. C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmacodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C218	
C220 September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10 and 20 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company. C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmocdynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C219	Schneider. The pharmacology of oxycodone and morphine. A thesis submitted for the degree of Doctor of Philosophy. The University of Queensland. 1989.
C221 September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick Company C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmcodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C220	September 24, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 10
 C222 September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg & Raskin, Davidson & Davidson, The Purdue Frederick Company and The P.F. Laboratories, Inc. C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmcodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335. 		C221	September 4, 2002 Resubmission of August 19, 2002 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Impax Laboratories, Inc. to Purdue Pharma L.P. and The Purdue Frederick
C223 Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations. Pharmcodynamics Dept., Med. Res. Div. Am. Cyanamid Co.;1-33. C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C222	September 8, 2000 Paragraph IV Notice letter regarding Oxycodone Hydrochloride Extended-Release Tablets, 40 mg, from Endo Pharmaceuticals, Inc. to Euro-Celtique S.A., The Purdue Pharma Company, Purdue Pharma L.P., Steinberg
C224 Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40. C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C223	Silber et al. Utilizing pharmacokinetic principles in the design of controlled or sustained release formulations.
C225 Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled- and immediate-release oral oxycodone in cancer pain patients. J Clin Pharmacol. 2001 May;41(5):500-6. C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C224	Slowey et al. Effect of premedication with controlled-release oral morphine on postoperative pain. A comparison with intramuscular morphine. Anaesthesia. 1985 May;40(5):438-40.
C226 Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles. International J Pharm. 1980;4:327-335.		C225	Stambaugh et al. Double-blind, randomized comparison of the analgesic and pharmacokinetic profiles of controlled-
A 10.1 1 1 5 1 6 1 10.5 0 10.5		C226	Steinbach et al. Evaluation of Pharmaceutical Availability from the Calculation of Drug Levels and Release Profiles.
C227 Steimach et al. Kelease of a drug from a dosage form. J Pharm Sci. 1905 Oct,54(10):1455-6.	-	ļ	International J Pharm. 1980;4:327-335.
	L	C227	Stemach et al. Release of a drug from a dosage torm. Friaim Sci. 1905 Oct,54(10).1455-6.

9	C228	Sun et al. A method of determining the in vivo drug release rate constant of sustained-release preparation. Drug			
-/}		Metabolism And Disposition. 1995;23 (4):449-454. Sunshine et al. Analgesic Effects of Oral Oxycodone and Codeine in the Treatment of Patients with Postoperative,			
V).,	C229	Postfracture, or Somatic Pain. 8 ADVANCES PAIN RESEARCH THERAPY, Foley, K.M. and Inturrisi, C.E. eds.,			
		Raven Press, New York: 1986:225-235.			
	C230	Sunshine et al. Analgesic Efficacy of Controlled-Release Oxycodone vs. Immediate-Release Oxycodone, Alone and			
		in Combination with Acetaminophen in Postoperative Pain: A Preliminary Study. Problems of Drug Dependence, 1992: Proceeding of the 54th Annual Scientific Meeting, U.S. Department of Health and Human Services. 1992;329.			
	C231	Sunshine et al. Analgesic Efficacy of Controlled-Release Oxycodone in Postoperative Pain. J. Clin Pharm.			
	C231	1996:36(7):595-603			
	C232	Sunshine et al. Analgesic oral efficacy of tramadol hydrochloride in postoperative pain. Clin Pharmacol Ther. 1992 Jun;740-746.			
	C233	Sunshine et al. Controlled-Release Oxycodone vs. Immediate Release Oxycodone Alone and in Combination with Acetaminophen in the Treatment of Postoperative Pain. 11 th Annual Scientific Meeting, American Pain Society. 1992 Oct. 22: Abstract #92466.			
	C234	Sunshine et al. Onset And Duration Of Analgesia For Controlled Release Vs. Immediate Release Oxycodone Alone And In Combination With Acetaminophen In Postoperative Pain. Clin Pharm & Ther. 1995;57 (2):137(Abstract #PI-7).			
	C235	Sustained Release Medications, Noyes Data Corp., 1980; 3,4,10-15,96-99,335-337.			
	C236	Teva's Answer and Counterclaims in Civil Action No. 01 CV 8507 (SHS).			
	C237	Teva's Answer and Counterclaims in Civil Action No. 03 CV 2312 (SHS).			
	C238	Teva's Answer in Civil Action No. 01 CV 1121 2 (SHS).			
	C239	The Merck Index, 11th ed., Budavari, S. ed., at pages 384-385, 500, 762, 988, and 1100 (1989).			
•	C240	Thirlwell et al. Pharmacokinetics and clinical efficacy of oral morphine solution and controlled-release morphine tablets in cancer patients. Cancer. 1989 Jun 1;63(11 Suppl):2275-83.			
	C241	Thomas. Endone. Australia Prescription Products Guide. 1989;1(A-H):646.			
	C242	Thomas. Endone. Australia Prescription Products Guide. 1990;1(A-H):676.			
	C243	Thomsen et al. Prolonged Release Matrix Pellets Prepared by Melt Pelletization, Part IV: Drug Particles Size, and			
		Binder Composition. Pharmaceutical Technology Europa. 1994 Oct; 19-24. Thomsen et al. Prolonged Release Matrix Pellets Prepared by Melt Pelletization I. Process Variables. Drug Dev and			
	C244	Ind Pharm 1993:19(15):1867-87.			
	C245	Thomsen et al. Utilizing melt pelletization technique for the preparation of prolonged release products. Pelletization (material elaborated by assistant prof. Lars Juul Thomsen, Department of Pharmaceutics, Royal Danish School of Pharmacy for the DIE course "Pelletization Technologh," November 1992, 106 pages plus 3 appendices.			
	C246	Tyring Deformance requirements for controlled release desage forms: Therapeutic and pharmacological			
	C247	Vallner et al. Pharmacokinetics and bioavailability of hydromorphone following intravenous and oral administration to			
	C247	human subjects I Clin Pharmacol, 1981 Apr;21(4):152-6.			
	C248	Wagner. BIOPHARMACEUTICS, Ch. 21: Quantitative Correlations of in Vivo Data with in Vitro Rate of Dissolution Data, 1st ed., Drug Intelligence Publications, Illinois. 1971;140-7.			
	C249	Wagner Biopharmaceutics: 23: Rate of Dissolution In Vitro and In Vivo: Part VIII. Examples of Quantitative			
	 	Correlations of in Vivo with in Vitro Data. Drug Intelligence And Clin Pharm. 1970;4:232-9. Walsh et al. Disposition of Oral Morphine in Advanced Cancer. 6 Proceedings of ASCO. 1987;270(Abstract #1063).			
	C250				
	C251	Welling et al. SUSTAINED AND CONTROLLED RELEASE DRUG DELIVERY SYSTEMS, Ch. 9: Multiple Dosing of Sustained Release Systems, J.R. Robinson, ed., Marcel Dekker, Inc., New York. 1978; 631-716.			
 	C252	Welling, PHARMACEUTICAL BIOEQUIVALENCE - Ch. 8 - In Vitro Methods to Determine Bioavailability: In			
		Vitro-In Vivo Correlations, Marcel Dekker, Inc., New York. 1991;223-32. Wiegand et al. Kinetics of plasma drug levels after sustained release dosage. Biochem Pharmacol. 1960 Jul;3:256-63.			
	C253	Wilson et al. RATE CONTROL IN DRUG THERAPY, Ch. 4: Implications of Toxicology, Prescott. L.F. and Nimmo,			
	C254	W.S. eds., Churchill Livingstone, Edinburgh, 1985;30-37.			
	C255	Wotherspoon et al. Analgesic efficacy of controlled-release dihydrocodeine. A comparison of 60, 90 and 120 mg tablets in cold-induced pain. Anaesthesia. 1991 Nov;46(11):915-7.			
A	C256	Yokokawa et al. Relationship between plasma concentration of morphine and analgesic effectiveness. Postgrad Med J. 1991;67 Suppl 2:S50-4.			
P					
EXAMINER	2	DATE CONSIDERED 7/05			
*EXAMINER:	Initial i	f reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not			
considered. Include copy of this form with next communication to applicant.					